



1 Select color.

SOLIDS

- 401 Bennington Beige [BENB]
- 411 Cottage Red [CRE0D]
- 503 Eggshell [EGG]
- 467 Evening Shade [EVES]
- 468 Fawn [FAWN]
- 469 Fresh Canvas [FCAN]
- 415 Gray Dusk [GDSK]
- 414 Ironstone [IRNS]
- 470 Midnight Blue [MNBLU]
- 509 Norwood [NOR]

- 805 Pewter [P805]
- 307 Ripe Olive [RO]
- 425 Statuary Bronze [STB]
- 410 Thatch [THA]
- 280 White [W]

HD2 WOODGRAINS

- 109 Cedar [CDR]
- M16 Cider Mill [CID]
- M17 English Saddle [ENG]
- M15 Napa Vine [NAP]
- 416 Spruce [SPR]
- 106 Timber Ash [TASH]
- 108 Weathered Wood [WWD]

ORDER/ESTIMATING SHEET

2 List quantities needed in the spaces below.


A Double 4" Color #

Face of panel is 8" tall by 12 ft 6.5" long.
Each lap is 4" tall.
Coverage is 100 sq./ft. per box.

12 pc/ctn
12 pc = 1 square

D4S _____ Boxes

D4SHD2 _____ Boxes



A Single 6" Color #

Face of panel is 6.13" tall by 12 ft 6.5" long.
Coverage is 50 sq./ft. per box.

8 pc/ctn
16 pc = 1 square


S6S _____ Boxes

S6SHD2 _____ Boxes

Foam Backed

S6FBS _____ Boxes

S6FBSHD2 _____ Boxes



A Single 6" Dutch Lap Color #

Face of panel is 6.13" tall by 12 ft 6.5" long.
Coverage is 51 sq./ft. per box.

8 pc/ctn
16 pc = 1 square


S6DLS _____ Boxes

S6DLSHD2 _____ Boxes

Foam Backed

S6DLFBS _____ Boxes

S6DLFBSHD2 _____ Boxes




A Single 8" Color #

Face of panel is 8" tall by 12 ft 6.5" long.
Coverage is 100 sq./ft. per box.

12 pc/ctn
12 pc = 1 square

S8S _____ Boxes

S8SHD2 _____ Boxes




B 6" Board & Batten Color #

Face of panel is 6" wide by 10 ft tall.
Coverage is 50 sq./ft. per box.

10 pc/ctn
20 pc = 1 square

6BBS _____ Boxes

6BBSHD2 _____ Boxes




B 10" Board & Batten Color #

Face of panel is 10" wide by 10 ft tall.
Coverage is 50 sq./ft. per box.

6 pc/ctn
12 pc = 1 square

10BBS _____ Boxes

10BBSHD2 _____ Boxes




C 14.77" x 30 ft Trim Coil Color #

TruCedar embossed trim coil used for custom flashing.

1 roll/ctn

T1430S _____ Boxes

T1430SHD2 _____ Boxes



D Seamless Siding Color #


1 roll/ctn

9.075" Seamless

1 roll = 1,000 LF
500lb roll. Must be ordered in 500 lb increments.
10 business day lead time.

SSC9.075 _____ Boxes

SSC9.075HD2 _____ Boxes




10.77" Seamless

1 roll = 1,200 LF
700lb roll. Must be ordered in 700 lb increments.
5 business day lead time.

SSC10.77 _____ Boxes

SSC10.77HD2 _____ Boxes




13.25" Seamless

1 roll = 972 LF
700lb roll. Must be ordered in 700 lb increments.
10 business day lead time.

SSC13.25 _____ Boxes

SSC13.25HD2 _____ Boxes




14.77" Seamless

1 roll = 875 LF
700lb roll. Must be ordered in 700 lb increments.
5 business day lead time.

SSC14.77 _____ Boxes

SSC14.77HD2 _____ Boxes




All quantities to complete installation need to be verified by contractor and/or Installer. Quality Edge will only honor ordered amounts.



D Brick Ledge Flashing Color #


Installed over a brick or stone wall transition.

10 pc/ctn
BLF _____ Boxes

BLFHD2 _____ Boxes

E 3/4" J-Channel Color #


Installed around windows and doors, also used to cap the last row of panels. 12 ft length.

25 pc/ctn
J75S _____ Boxes

J75SHD2 _____ Boxes

F 1" J-Channel Color #


Works best with Board & Batten. Installed around windows and doors, also used to cap the last row of panels. 10 ft length.

25 pc/ctn
J1S _____ Boxes

J1SHD2 _____ Boxes

G 5/8" L-Channel Color #


Install as an alternative to J-Channel on the sides of windows or doors. Not embossed. 10 ft length.

25 pc/ctn
L58S _____ Boxes

L58SHD2 _____ Boxes

H 5/8" Undersill Color #


Use to cover cut edge of panel. Not embossed. 12 ft length.

25 pc/ctn
UTS _____ Boxes

UTSHD2 _____ Boxes

I Batten Trim Color #


Use at base of Board & Batten panels to close the openings of the battens. Adds an authentic look as a starter. 10 ft length.

10 pc/ctn
BT10 _____ Boxes

BT10HD2 _____ Boxes

J Z-Flashing Color #

Use with Board & Batten to connect panels longer than 10 ft high. 10 ft length.

10 pc/ctn
BBZT10 _____ Boxes

BBZT10HD2 _____ Boxes

K 1-Piece Inside Corner Block Color #

Use to flash inside corners. 10 ft length.


10 pc/ctn
ICB _____ Boxes

ICBHD2 _____ Boxes

L 1-Piece Outside Corner Post Color #


Installed at the outside corner of the wall, allowing siding to be inserted on both sides. 10 ft length.

10 pc/ctn
OCPS _____ Boxes


OCPSHD2 _____ Boxes

M 2-Piece Outside Corner Post Cap Color #

Installed over 2-Piece Outside Corner Post Base. Works best with Board & Batten. 10 ft length.


10 pc/ctn
OCPS2P _____ Boxes

OCPS2PHD2 _____ Boxes

M 2-Piece Outside Corner Post Base No Color



Installed at the outside corner of the wall, allowing siding to be inserted on both sides. Works best with Board & Batten. 10 ft length.

10 pc/ctn
OCPB _____ Boxes

N 3" Starter Strip No Color

Secures the first row of panels to the wall. Needed for both lap and Board & Batten applications. 10 ft length.

25 pc/ctn
3SSGAL _____ Boxes

N 4" Starter Strip No Color


Secures the first row of panels to the wall. Needed for both lap and Board & Batten applications. 10 ft length.

25 pc/ctn
4SSGAL _____ Boxes


All quantities to complete installation need to be verified by contractor and/or Installer. Quality Edge will only honor ordered amounts.


→ Red Arrow indicates a standard product, mark number of Cartons and Color, or indicate other products as desired.

**TruCedar®
Woodgrain
Fascia - Steel**




| SIZE | SKU | NOTES | METAL/ THICKNESS | FINISH | LENGTH & SHIPPING | COLOR AVAILABILITY |
|--|---------|------------------|---------------------|--------|----------------------|--|
| 6" | 6FSS | Solid | Steel 0.016" | Kynar | 12 ft length | SOLID COLORS 401 Bennington Beige [BENBI] 411 Cottage Red [CREG] 503 Eggshell [EGG] 467 Evening Shade [EVES] 468 Fawn [FAWN] 405 Foothill Blue [FHB] 469 Fresh Canvas [FCAN] 415 Gray Dusk [GDSK] 414 Ironstone [IRNS] 470 Midnight Blue [MNBLU] 509 Norwood [NOR] 805 Pewter [P805] 307 Ripe Olive [RO] 462 Silver Lining [SVRL] 425 Statuary Bronze [STB] 410 Thatch [THA] 280 White [W] |
| | 6FSSHD2 | HD2 Woodgrain | | | | |
| <p>Boxes of Solid Color # Boxes of HD2 Color #</p> | | | | | | |
| 8" | 8FSS | Solid | Steel 0.016" | Kynar | 12 ft length | HD2 WOODGRAIN COLORS 109 Cedar [CDR] M16 Cider Mill [CID] M17 English Saddle [ENG] M15 Napa Vine [NAP] 416 Spruce [SPR] 106 Timber Ash [TASH] 108 Weathered Wood [WWD] |
| | 8FSSHD2 | HD2 Woodgrain | | | | |
| <p>Boxes of Solid Color # Boxes of HD2 Color #</p> | | | | | | |

**TruLine®
Woodgrain
Fascia - Steel**




| SIZE | SKU | METAL/ THICKNESS | FINISH | LENGTH & SHIPPING | COLOR AVAILABILITY |
|------|-------|---------------------|------------------|---|--|
| 6" | 6FSWG | Steel 0.016" | Q800 TuffTech | 12 ft length | 807 Clay [C] 327 Desert Tan [DTAN] 204 Granite [GRT204] 507 Mocha [MOC] 508 Musket [MUS] 509 Norwood [NOR] 511 Terratone [TER] 280 White [W] 425 Statuary Bronze [STB] 718 Low Gloss Black [LGBLK] 702 Low Gloss Brown [LGB] |
| | | | | 10 pc/ctn 49 lb/ctn 30 ctn/plt 8 plt/trk | |
| 8" | 8FSWG | Steel 0.016" | Q800 TuffTech | 12 ft length | 723 Low Gloss Snowmist [LGSMT] |
| | | | | 10 pc/ctn 60 lb/ctn 30 ctn/plt 8 plt/trk | |




TRUVENT® WOODGRAIN FINISHES



TRUVENT® & TRULINE® SOLID COLORS



- From Left to Right:
- Row 1: 943 Karri [K] and 948 Medium Teak [TEAK]
 - Row 2: 518 Black [BLK], 511 Terratone [TER], 502 Brown [B], 507 Mocha [MOC], 508 Musket [MUS]
 - Row 3: 522 Forest [FOR], 411 Cottage Red [CRED], 470 Midnight Blue [MNBLU], 467 Evening Shade [EVES], 468 Fawn [FAWN]
 - Row 4: 414 Ironstone [IRNS], 605 Eldridge Gray [EG], 204 Granite [GRT204], 462 Silver Lining [SVRL], 805 Pewter [P805]
 - Row 5: 509 Norwood [NOR], 807 Clay [C], 177 Sandy Beige [SB177], 819 Herringbone [HER], 469 Fresh Canvas [FCAN]
 - Row 6: 809 Wicker [WIC], 327 Desert Tan [DTAN], 606 Cozy Cottage [CC], 827 Champagne [CAB], 503 Eggshell [EGG]
 - Row 7: 523 Snowmist [SMT], 280 White [W]




F-Channel

| SIZE | SKU | METAL/ THICKNESS | FINISH | LENGTH & SHIPPING | COLOR AVAILABILITY |
|---|-----|---------------------|------------------|--|---------------------------------------|
| (0.375") 3/8" | F | Aluminum 0.019" | Q800 TuffTech | 12 ft length 25 pc/ctn 36 lb/ctn 50 ctn/plt 10 plt/trk | System Colors |
| (0.50") 1/2" <i>Solid Finish</i> | F5 | Aluminum 0.019" | Q800 TuffTech | 12 ft length 25 pc/ctn 36 lb/ctn 50 ctn/plt 10 plt/trk | System Colors |
| <i>Use with TruVent® Hidden Vent Soffit</i> | | | | | |
| (0.50") 1/2" <i>Woodgrain Finish</i> | F5 | Aluminum 0.019" | Q800 TuffTech | 12 ft length 25 pc/ctn 36 lb/ctn 50 ctn/plt 10 plt/trk | 943 Karri [K] 948 Medium Teak [MT] |
| <i>Use with TruVent® Hidden Vent Soffit</i> | | | | | |

Boxes of Color #

Boxes of Color #




J-Channel

| SIZE | SKU | METAL/ THICKNESS | FINISH | LENGTH & SHIPPING | COLOR AVAILABILITY |
|---|-------|---------------------|------------------|--|---|
| (0.375") 3/8" <i>Solid Finish</i> | J | Aluminum 0.019" | Q800 TuffTech | 12 ft length 25 pc/ctn 17 lb/ctn 100 ctn/plt 8 plt/trk | System Colors 505 Green [GRE] |
| (0.375") 3/8" <i>Woodgrain Finish</i> | PC38J | Aluminum 0.024" | Q800 TuffTech | 10 ft length 30 pc/ctn 26 lb/ctn 40 ctn/plt 10 plt/trk | 946 Dark Mahogany [DM] 943 Karri [K] 947 Light Cherry [LC] 948 Medium Teak [MT] 949 Rock Maple [RM] |
| <i>Use with Porch Ceiling</i> | | | | | |
| (0.50") 1/2" <i>Solid Finish</i> | J5 | Aluminum 0.019" | Q800 TuffTech | 12 ft length 25 pc/ctn 17 lb/ctn 100 ctn/plt 8 plt/trk | System Colors 505 Green [GRE] |
| <i>Use with TruVent® Hidden Vent Soffit</i> | | | | | |
| (0.50") 1/2" <i>Woodgrain Finish</i> | J5 | Aluminum 0.019" | Q800 TuffTech | 12 ft length 25 pc/ctn 17 lb/ctn 100 ctn/plt 8 plt/trk | 943 Karri [K] 948 Medium Teak [MT] |
| <i>Use with TruVent® Hidden Vent Soffit</i> | | | | | |
| (0.75") 3/4" | J75 | Aluminum 0.019" | Q800 TuffTech | 10 ft length 30 pc/ctn 20 lb/ctn 100 ctn/plt 8 plt/trk | System Colors |


Boxes of Color #

Boxes of Color #

Cove Soffit Receiver




| SKU | METAL/ THICKNESS | FINISH | LENGTH & SHIPPING | COLOR AVAILABILITY |
|-----------------------------|--------------------|---------------|--|--------------------|
| CVSR <i>Solid Finish</i> | Aluminum 0.019" | Q800 TuffTech | 10 ft length | System Colors |
| | | | → 10 pc/ctn 12 lb/ctn 40 ctn/plt 10 plt/trk | |



Boxes of Color #


| | | | | |
|---------------------------------|--------------------|---------------|--|---------------------------------------|
| CVSR <i>Woodgrain Finish</i> | Aluminum 0.019" | Q800 TuffTech | 10 ft length | 943 Karri [K] 948 Medium Teak [MT] |
| | | | → 10 pc/ctn 12 lb/ctn 40 ctn/plt 10 plt/trk | |




Boxes of Color #

Note:
Use with TruVent®
Hidden Vent Soffit

Recessed Crown Molding




| SKU | METAL/ THICKNESS | FINISH | LENGTH & SHIPPING | COLOR AVAILABILITY |
|----------------------------|--------------------|---------------|--|--------------------|
| RCM <i>Solid Finish</i> | Aluminum 0.019" | Q800 TuffTech | 10 ft length | System Colors |
| | | | → 20 pc/ctn 20 lb/ctn 40 ctn/plt 10 plt/trk | 505 Green [GRE] |



Boxes of Color #


| | | | | |
|--------------------------------|--------------------|---------------|--|---------------------------------------|
| RCM <i>Woodgrain Finish</i> | Aluminum 0.019" | Q800 TuffTech | 10 ft length | 943 Karri [K] 948 Medium Teak [MT] |
| | | | → 20 pc/ctn 20 lb/ctn 40 ctn/plt 10 plt/trk | |




Boxes of Color #

Note:
Use with TruVent®
Hidden Vent Soffit


Mitre Divider



| SIZE | SKU | METAL/ THICKNESS | FINISH | LENGTH & SHIPPING | COLOR AVAILABILITY |
|---------------|-----|------------------|---------------|--|----------------------------------|
| (0.375") 3/8" | MD | Aluminum 0.019" | Q800 TuffTech | 10 ft length 10 pc/ctn 15 lb/ctn 48 ctn/plt 10 plt/trk | System Colors 505 Green (GRE) |




| | | | | | |
|--------------|-----|-----------------|---------------|--|---------------|
| (0.50") 1/2" | MD5 | Aluminum 0.019" | Q800 TuffTech | 10 ft length 10 pc/ctn 15 lb/ctn 48 ctn/plt 10 plt/trk | System Colors |
|--------------|-----|-----------------|---------------|--|---------------|



Boxes of Color #

Use with TruVent®
Hidden Vent Soffit


| | | | | | |
|--------------|-----|-----------------|---------------|--|---------------------------------------|
| (0.50") 1/2" | MD5 | Aluminum 0.019" | Q800 TuffTech | 10 ft length 10 pc/ctn 15 lb/ctn 48 ctn/plt 10 plt/trk | 943 Karri (K) 948 Medium Teak (MT) |
|--------------|-----|-----------------|---------------|--|---------------------------------------|



Boxes of Color #

Use with TruVent®
Hidden Vent Soffit

**TruVent®
Hidden Vent
Soffit**



| DESCRIPTION | SKU | METAL/ THICKNESS | FINISH | LENGTH & SHIPPING | COLOR AVAILABILITY |
|---------------------------|-----|---------------------|------------------|---|-----------------------|
| Full Vent Solid Finish | HVS | Aluminum 0.019" | Q800 TuffTech | 12 ft length | System Colors |
| | | | | 16 pc/ctn 68 lb/ctn 27 ctn/plt 8 plt/trk | |
| | | | | 192 sq ft | |

Boxes of Color #

| | | | | | |
|----------------------------------|-----|--------------------|------------------|---|---|
| Full Vent Woodgrain Finish | HVS | Aluminum 0.019" | Q800 TuffTech | 12 ft length | 943 Karri [K] 948 Medium Teak [TEAK] |
| | | | | 16 pc/ctn 68 lb/ctn 27 ctn/plt 8 plt/trk | |
| | | | | 192 sq ft | |

Boxes of Color #



1

Select color.

SOLIDS

- 463 Coal [COAL]
- 503 Eggshell [EGG]
- 467 Evening Shade [EVES]
- 468 Fawn [FAWN]
- 469 Fresh Canvas [FCAN]
- 414 Ironstone [IRNS]
- 470 Midnight Blue [MNBLU]
- 465 Sea Glass [SEAG]

- 462 Silver Lining [SVRL]
- 466 Tourmaline [TOUR]
- 280 White [W]

HD3 WOODGRAINS

- 485 Aged Walnut [AWAL]
- 486 Amber Cherry [AMCH]
- 480 Autumn Thistle [ATHS]
- 484 Dark Espresso [DRKE]


- 481 Driftwood [DFWD]
- 482 Gilded Grain [GILD]
- 487 Natural Oak [NOAK]
- 483 Sand Dollar [SNDR]
- 488 Smokey Ash [SMKA]
- 489 Warm Teak [WARM]

2 List quantities needed in the spaces below.

A 5" Plank - 8 ft | HD3 Woodgrain Color

Face of Plank panel is 5" tall by 8 ft long.
Coverage is 52 sq./ft. per box.


15 pc/ctn
30 pc = 1 square
5PS8HD3 _____ Boxes



A 5" Plank - 12 ft | Solid Color

Face of Plank panel is 5" tall by 12 ft long.
Coverage is 52 sq./ft. per box.


10 pc/ctn
20 pc = 1 square
5PS12 _____ Boxes



B 5" Plank Soffit, Full Vent - 8 ft | HD3 Woodgrain Color

Face of Plank panel is 5" tall by 8 ft long.
Coverage is 52 sq./ft. per box.

15 pc/ctn
30 pc = 1 square
5PS8HD3V _____ Boxes



C Standard Fascia Color

Fascia that complements and enhances designs with a standard installation. 12 ft. long

10 pc/ctn

6" Vesta Fascia - Standard




6FSVS _____ Boxes

6FSVSHD3 _____ Boxes

8" Vesta Fascia - Standard

8FSVS _____ Boxes

8FSVSHD3 _____ Boxes



C Architectural Fascia & Lock Color

Architectural Fascia that requires no face nails, enhances designs with a smooth face that clips into an included neutral colored lock. 10 ft long.

6 pc/ctn

6" Vesta Architectural Fascia & Lock





6FSVSL _____ Boxes

6FSVSLHD3 _____ Boxes

8" Vesta Architectural Fascia & Lock

8FSVSL _____ Boxes

8FSVSLHD3 _____ Boxes




D Outside Corner Post | Single Nail Flange Color

Used to trim outside corner of home.

10 pc/ctn

OCPSP _____ Boxes

OCPSPHD3 _____ Boxes




E Outside Corner Post | Dual Nail Flange Color

Used to trim outside corner of home.

6 pc/ctn

OCPVS _____ Boxes

OCPVSHD3 _____ Boxes





F Inside Corner Block Color

Installed in the inside corners. Used with or without J-Channel.

10 pc/ctn

ICBPS _____ Boxes

ICBHD3 _____ Boxes



All quantities to complete installation need to be verified by contractor and/or Installer. Quality Edge will only honor ordered amounts.


G Drip Cap Color #

Flashes the top of windows and doors, also used as a starter when installing panels vertical

10 pc/ctn

DCP _____ Boxes

DCPHD3 _____ Boxes



H Brick Ledge Flashing Color #

Installed over a brick or stone wall transition.

10 pc/ctn

BLFP _____ Boxes

BLFPHD3 _____ Boxes



I H-Channel Color #

Used as a transition from solid or woodgrain finish on the wall.

10 pc/ctn

5HCP _____ Boxes

5HCPHD3 _____ Boxes



J J-Channel Color #

Installed around windows and doors, also used to cap the last row of panels.

25 pc/ctn

J5P _____ Boxes

J5PHD3 _____ Boxes



K Plank Starter Strip Color #

Color matched starter strip for the panels to hook into.

10 pc/ctn

PSS _____ Boxes

PSSH3D3 _____ Boxes



L Support Trim Color #

Used to support the last row of panels, must be installed inside of J-channel, the cut piece of siding is inserted in between the support trim and J-channel.

10 pc/ctn

PST _____ Boxes

PSTHD3 _____ Boxes



M Utility Trim Color #

Covers or caps trimmed panels.

25 pc/ctn

UTS _____ Boxes

UTSHD3 _____ Boxes



N 14.77\" x 30 ft. Trim Coil Color #

Used to make custom parts and flashing on site.

1 roll/ctn

T1430SM _____ Rolls

T1430SMHD3 _____ Rolls



All quantities to complete installation need to be verified by contractor and/or installer. Quality Edge will only honor ordered amounts.